








ALL THESE INPUT SIGNALS

IN A SINGLE REFERENCE

AT AN UNBEATABLE PRICE

INPUT SIGNALS:

	<b>Voltages AC</b> from 0/50mVac to 0/600Vac
	<b>Voltages DC</b> from 0/50mVdc to 0/600Vdc
	<b>Currents AC</b> from 0/5mAac to 0/5Aac
	<b>Currents DC</b> from 0/5mAdc to 0/5Adc
	<b>FREQUENCY Signals</b> 0/100Hz (45..65Hz)
	<b>EASY Configuration</b> Simplified and complete scaling
	<b>ADVANCED FUNCTIONS</b> Tools for the installer


REFERENCE:

# I4E ISOLATED SIGNAL CONVERTER for AC / DC Signals



GET IT AT:


OUTPUT SIGNALS:



INCLUDED:

- Universal power supply 18...265 Vac/dc
- Accuracy and speed
- Fully configurable input and output ranges
- Isolated 3 ways (input-output-power) 3KVeFF
- Functions included: 'force', 'label', 'SOS', 'on error', 'password'
- Information display
- Configurable output 4/20mA and 0/10Vdc
- Unique reference (no accessories needed, no software needed)

DOCUMENTATION:

[DATA SHEET](#) 

[USER'S MANUAL](#) 









[QUICK INSTALLATION GUIDE](#) 

ALL THESE INPUT SIGNALS

IN A SINGLE REFERENCE

AT AN UNBEATABLE PRICE

INPUT SIGNALS:

	<b>PROCESS</b> 4/20mA, 0/10Vdc
	<b>POTENTIOMETER</b> Up to 15K0hm
	<b>THERMOCOUPLE TC</b> Tc J, K, N, E, T, R, S, C, B
	<b>TEMPERATURE PT</b> Pt100, Pt500, Pt1000
	<b>TEMPERATURE NTC</b> 44004, 44005, 44006, 44007, ...
	<b>RESISTANCES</b> Up to 1M0hm
	<b>EASY Configuration</b> Simplified and complete scaling
	<b>ADVANCED FUNCTIONS</b> Tools for the installer


REFERENCE:



# I4P

## ISOLATED SIGNAL CONVERTER for Process and Temperatures


OUTPUT SIGNALS:



INCLUDED:

- Universal power supply 18...265 Vac/dc
- Accuracy and speed
- Fully configurable input and output ranges
- Isolated 3 ways (input-output-power) 3KVeFF
- Functions included: 'force', 'label', 'SOS', 'on error', 'password'
- Information display
- Configurable output 4/20mA and 0/10Vdc
- Unique reference (no accessories needed, no software needed)

GET IT AT:



DOCUMENTATION:

[DATA SHEET](#) 

[USER'S MANUAL](#) 



[QUICK INSTALLATION GUIDE](#) 

## LOAD CELLS INPUT SIGNALS

## IN A SINGLE REFERENCE

## AT AN UNBEATABLE PRICE

### INPUT SIGNALS:

 <p>Load cell</p>	<p><b>Loadcell Signals</b> Up to 6 wire or 4 load cells</p>
 <p>mV</p>	<p><b>mV Signals</b> Unipolar and bipolar <math>\pm 80\text{mV}</math></p>


### REFERENCE:

# I4L ISOLATED SIGNAL CONVERTER for Load Cells & mV



### GET IT AT:

### OUTPUT SIGNALS:

 <p>mA Vdc Process</p>	<p>4/20 mA 0/10 Vdc and more</p>
--	--

### INCLUDED:



- Universal power supply 18...265 V ac/dc
- Accuracy and speed
- for 4 and 6 wire load cells and up to 4 load cells
- Isolated 3 ways (input-output-power) 3KVe<sub>ff</sub>
- Functions included: 'force', 'label', 'SOS', 'on error', 'password'
- Front display for values
- +5Vdc excitation voltage to power the load cell and 'sense'
- Unique reference (no accesories needed, no software needed)

### DOCUMENTATION:

[DATA SHEET](#) 

[USER'S MANUAL](#) 

[QUICK INSTALLATION GUIDE](#) 


	<p><b>EASY Configuration</b> Simplified and complete scaling</p>
	<p><b>ADVANCED FUNCTIONS</b> Tools for application and installer</p>

## THESE INPUT SIGNALS

## IN A SINGLE REFERENCE

## AT AN UNBEATABLE PRICE

### INPUT SIGNALS:



**FREQUENCY Signals**  
from 0/1Hz to 0/1.000KHz

#### Multiple Sensors

NPN PNP Mechanical Reed Pick-up  
Namur TTL <600Vac

### REFERENCE:

# I4F

## ISOLATED SIGNAL CONVERTER for Frequency Signals



### GET IT AT:

### OUTPUT SIGNALS:



4/20 mA  
0/10 Vdc

### INCLUDED:

- Universal power supply 18...265 Vac/dc
- Accuracy and speed
- Fully configurable input and output ranges
- Isolated 3 ways (input-output-power) 3KVeFF
- Functions included: 'force', 'label', 'SOS', 'on error', 'password'
- Information display
- Configurable output 4/20mA and 0/10Vdc and similars.
- Unique reference (no accesories needed, no software needed)

### DOCUMENTATION:

[DATA SHEET](#)



[USER'S MANUAL](#)



[WEBSITE](#)



### EASY Configuration

Simplified and complete scaling



### ADVANCED FUNCTIONS

Tools for the installer